Author index of volume 340

A

Abiko Y, 223
Aihara H, 1
Aktories K, 345
Allgaier C, 472
Alzheimer C, 465
Amann R, 744
Antoni H, 456
Apperl A, 185
Arita M, 605
Asano T, 431
Asano Y, 219
Aupetit JP, 338

B

Badoer E, 31
Baron E, 68
Barthelmebs M, 246
Bassenge E, 119, 767
Baumann PA, 372
Beckeringh JJ, 126, 558, 567
Beetens JR, 111
Beinborn M, 68
Berger F, 696
Berthold H, 424
Bertrand C, 107
Bertrix L, 338
Binah O, 705
Biziere K, 411
Bizière K, 93
Bockaert J, 403
Boddeke HWGM, 126, 567
Bollack C, 246
Bonanno G, 666
Borchard U, 696
Borton M, 139
Braunsteiner H, 185
Bruggencate Gten, 465
Burde R, 101, 671
Buschauer A, 671
Busse R, 119, 767
Bültmann R, 760

C

Caccia S, 259
Cain CR, 293
Camilion de Hurtado MC, 452
Cantoni C, 666
Caratsch CG, 82
Carlsson A, 161
Castrogiovanni P, 593
Chiari MC, 76
Cingolani HE, 452
Clark KL, 533
Consolo S, 259
Cordopatis P, 309
Couture R, 170, 547
Cristalli G, 679

D

D'Agostino G, 76
Dahlöf C, 144
Day SY, 191
De Clerck F, 111
Decrinis M, 744
Delmendo R, 62
Dewar KM, 617
Dietl MM, 486
Docherty JR, 139
Domae M, 21
Dominiak P, 31
Donnerer J, 352, 740, 744
Drapeau G, 170, 547
Drew GM, 533
Dumuis A, 403

E

Eltze M, 68
Endou M, 196
Enero MA, 274
Engel G, 300
Eusebi F, 82

F

Falcone MF, 593
Fancon G, 338
Feldtrauer JJ, 372
Fichtner H, 210
Fink K, 45, 516, 595, 633
Fischer MRG, 52
Fischer P, 502
Förstermann U, 258, 771
Folkerts G, 111
Foucart S, 658
Fournier M, 93
Fowble J, 576
Fozard JR, 424
Franco-Cereceda A, 180
Fredholm BB, 715
Freyse M, 338
Fu WM, 191
Fuder H, 597
Furukawa T, 21, 26, 437

G

Galzin AM, 41, 386
Garattini S, 259
Gende OA, 452
Giuliani S, 419, 541
Glossmann H, 752
Godfraind T, 442
Göthert M, 45, 300, 516, 595, 633
Graefe KH, 726
Grana E, 76
Grassegger A, 752
Grassi F, 82
Grifantini M, 679
Grondin L, 617
Guimond C, 547
Guiso G, 259

H

Haan JGde, 588
Haas M, 509
Hafner D, 696
Halbrügge T, 726
Hasselblatt A, 321, 712
Hattori Y, 196
Hedler L, 648
Heere TJM, 733
Helwig JJ, 246
Herdon H, 36
Hertting G, 472
Herzig JW, 210
Hilditch A, 533
Hinterthaner M, 633
Hock M, 509
Hofman GA, 239, 583
Hohlfeld J, 258
Hoyer D, 45, 135, 285, 396, 479, 486
Hugtenburg JG, 126, 558, 567

I

Ichihara K, 223
Ikegaki I, 431
Illes P, 151
Imbs JL, 246
Ishii K, 771
Itoi K, 31
Izumi F, 605

J

Jackson DM, 6, 13, 355
Jacques L, 170
Jansen PLM, 588
Jäger T, 472
Jondal M, 715
Juorio AV, 366

K

Kan JP, 411
Kanno M, 196
Karpf A, 396
Katsuragi T, 437
Kazanietz MG, 274
Keane P, 93
Kieselbach G, 185
Kimura H, 26
Klausmair A, 764
Klotz KN, 679, 684
Knaus HG, 752
Knoflach F, 82
Koch G, 345
Kohlhardt M, 210
Kolasa K, 259
Konwalinka G, 185
Korsky LD, 771
Koster ASj, 239, 583, 588
Kreye VAW, 345, 684
Krieglstein J, 718
Kromer W, 68
Kropf W, 718
Kumagai M, 26
Kurachi Y, 219
Kurz T, 265
Kuschinsky K, 718
Kügelgen Ivon, 522
Kügelgen Ivon, 760
Kvanta A, 715

L

Lajtha A, 626
Lambrecht G, 597
Landry Y, 107
Laneuville O, 547
Langer SZ, 41, 386
Larsson LG, 355
Lembeck F, 740, 744
Leyen H van der, 204
Libau S, 258
Limberger N, 52, 639
Lin-Shiau SY, 191
Lohse MJ, 204, 679
Loufoua-Moundanga J, 338
Lundberg JM, 379
Lückhoff A, 119

M

Maggi CA, 419, 541
Magneney S, 107
Majewski H, 658
Marazziti D, 593
Mathy MJ, 126, 558, 567
Matsumoto SI, 21, 26
Mauss S, 345
Mayer A, 639
Mayer M, 107
McDermott BJ, 333
McKay DB, 610
Melchiorre C, 597
Meli A, 419, 541
Michael-Hepp J, 495
Michel AD, 62, 279
Michelot R, 107
Millar BC, 333
Mir AK, 424
Molderings G, 45, 595
Molderings GJ, 300
Monteiro EC, 230
Montreuil B, 617
Morel N, 442
Murad F, 771
Musso MJ, 246
Mutschler E, 597
Müller-Schweinitzer E, 252
Mülsch A, 119, 767

N

Nagashima M, 21, 26
Nahorski SR, 36
Nakaie CR, 309
Nanoff C, 87
Nedergaard OA, 270
Neijt H, 396
Neumann J, 689
Nguyen Tvan, 366
Nicholson CD, 293
Nijkamp FP, 111
Noordhoek J, 239, 583, 588
Nordstedt C, 715
Nörenberg W, 151

O

Ohmi H, 223
Okuyama S, 1
Oude Elferink RPJ, 588

P

Paiva ACM, 309
Palacios JM, 396, 479, 486
Palazzi E, 259
Panten U, 328
Patil PN, 576
Pellegrini G, 666
Perio A, 411
Pernow J, 379
Pertl C, 744
Pettersson G, 161
Philippu A, 764
Piper HM, 333
Plante M, 246
Pohl U, 119

Q

Qadri F, 31

R

Raiteri M, 666
Ramdine R, 386
Reader TA, 617
Redegeld FAM, 588
Regoli D, 170, 547
Reith MEA, 626
Ribeiro JA, 230
Richardt G, 509
Rocca P, 41
Roschke I, 45
Ross SB, 6, 13, 355
Roth E, 300
Rotondo A, 593
Rubinstein I, 705

S

Sakai K, 223
Salazar-Bookaman MM, 576
Salmoiraghi P, 259
Santicioli P, 419
Santucci V, 93
Sassen LMA, 733
Satoh SI, 431
Saxena PR, 733
Schilling L, 314
Schlicker E, 45, 595, 633
Schmitt P, 107
Schmitz W, 204, 689
Schoeffter P, 45, 135, 285, 479
Scholtysik GE, 424
Scholz H, 204, 689
Scholz J, 204
Schöffel E, 522
Schömig A, 265, 509
Schömig E, 495, 502
Schönfeld CL, 495, 502
Schöpf J, 597
Schröder H, 475
Schrör K, 475
Schuligoi R, 740
Schultz G, 101, 671
Schulz A, 321, 712
Schütz W, 87
Schwabe U, 204, 679, 684
Sebben M, 403
Seifert R, 101, 671
Selleri S, 419
Shibuya M, 431
Shimuta SI, 309
Shirakawa K, 21
Shirota M, 196
Simon WA, 68
Singer EA, 639
Soei LK, 733
Starke K, 52, 522, 639, 648, 760
Stefanich E, 62
Stein B, 689
Steinberg R, 411
Striessnig J, 752
Ströher M, 87
Sugimoto T, 219
Sugita K, 431
Sumikawa K, 605
Sutor B, 465
Suzuki Y, 431
Svensson K, 161
Szabo B, 648

T

Tacke R, 597
Takara H, 605
Takikawa R, 219
Tarizzo VI, 144
Tawfik-Schlieper H, 684
Terranova JP, 411
Theodoropoulos D, 309
Timour Q, 338
Trendelenburg U, 502
Trube G, 328
Tschirhart E, 107
Türck D, 31

U

Uezono Y, 605
Unger T, 31
Unkell J, 597
Usune S, 437

V

Valenta B, 639
Veldsema-Currie RD, 126
Verdouw PD, 733
Vittori S, 679
Vries MHde, 239, 583, 588

W

Wada A, 605
Waeber C, 396, 479, 486
Wahl M, 314
Waldmeier PC, 372
Waters N, 161
Weber P, 576
Weiler M, 752
Weirich J, 456
Wesner MT, 597
Whalley ET, 314
Whiting RL, 62, 279
Wichmann T, 52
Wicki P, 372
Wiedermann CJ, 185
Wiedermann FJ, 185
Woerkens LJvan, 733
Worms P, 93, 411
Wölfel R, 726
Würth H, 31

Y

Yamada K, 21
Yamada K, 26

Z

Zier G, 639
Zimányi I, 626 26
Zünkler BJ, 328
Zwieten PAvan, 126, 558,

Subject index of volume 340

A

acetylcholine receptors, neuromuscular junction, protein kinase C, phorbol ester; skeletal muscle, rats, 82
acetylcholine release, ethanol, noradrenaline release; brain, rats, 516
acetylcholine release, muscarinic agonists, muscarine receptors; urinary bladder, rats, 76
ACTH release, FG 7142, capsaicin, benzodiazepine agonist; rats, 352
action potential, cardiac physiology, thyroid hormones, triiodothyronine; ventricular myocytes, guinea-pig, 705
action potential, sotalol, outward currents, pacemaker current; Purkinje fibres, sheep, 696
adenine nucleotides, ischemia, calcium antagonists, dipyridamole; heart, guinea-pig, 126
adenosine, protein kinase C, T-cell antigen receptor; Jurkat cells, 715
adenosine analogues, cAMP; ventricular myocytes, guinea-pig, 689
adenosine deaminase inhibitor, erythro-9-(2-hydroxy-3-nonyl)adenosine, respiration; glomectomized rats, 230
adenosine receptor antagonist, inotropic effect, phosphodiesterase isoenzymes, 1,3-dipropyl-8-cyclopentylxanthine; heart, guinea-pig, 204
adenosine receptor subtypes, kalium channels; guinea-pig atria, 684
adenosine receptors; rat brain membranes, 679
adenosine receptors, G-protein, guanine nucleotide; cerebral cortical membranes, guinea-pig, 87
adenylate cyclase, 5-hydroxytryptamine receptors; substantia nigra, calf, rats, 285
adenylate cyclase, antimigraine effect, GR 43175, serotonin receptor subtypes; hippocampus, substantia nigra, calf, 135
adenylate cyclase, cAMP, 5-HT receptors, benzamide derivatives; mouse embryo colliculi neurons, 403
adenylate cyclase, G-protein, neuropeptide Y, noradrenaline release; mouse atria, 658
adrenaline, beta-adrenoceptors, blood pressure; pithed rats, 144
adrenergic neuron system, dopamine receptor agonists, muscarinic cholinoceptor agonists, beta-adrenoceptors, yawning; behavioural observation, rats, 26
ageing, noradrenaline uptake, neuronal uptake system, cocaine; atria, rats, 139
aging, serotonin uptake; human platelets, 593
allergic mediators, PAF, oxatomide; pulmonary reactions, guinea-pig, 111
alpha 2 adrenoceptors, noradrenaline release, prostaglandin E2 receptors; brain, rats, 472
alpha 2-adrenoceptors, phentolamine, serotonin release, serotonin autoreceptor; brain cortex, rabbit, rats, 52
alpha 2-autoinhibition, ATP, alpha-adrenoceptors, suramin; vas deferens, mice, 760
alpha 2-autoreceptors; brain cortex, rabbit, rats, 639
sympathetic nerve system, alpha 2-autoreceptors, blood pressure; rabbit, 648
alpha 2-autoreceptors, alpha-2-heteroreceptors, noradrenaline release, 5-HT release; hypothalamus, rats, 386
alpha 2-autoreceptors, blood pressure, sympathetic nerve system; rabbit, 648
alpha 2-receptor antagonists, behaviour, amperozide, FG 5606, antipsychotic compounds; behavioural stimulation, rats, 161
alpha-2-heteroreceptors, noradrenaline release, 5-HT release, alpha 2-autoreceptors; hypothalamus, rats, 386
alpha-adrenoceptor blockade, insulin release, imidazoline compounds; pancreatic islets, mice, 321
alpha-adrenoceptors, insulin release, clonidine, benextramine, imidazolines; mouse pancreatic islets, 712
alpha-adrenoceptors, suramin, alpha 2-autoinhibition, ATP; vas deferens, mice, 760
amiloride, ethylisopropylamiloride, noradrenaline transport; phaeochromocytoma cells, rats, 495
amperozide, FG 5606, antipsychotic compounds, alpha 2-receptor antagonists, behaviour; behavioural stimulation, rats, 161
angiotensin 2, dopamine metabolism, catecholamine release; brain microdialysis, rats, 31
angiotensin 2, endothelin, noradrenaline, neuropeptide Y, peptide YY; kidney, pig, 379
angiotensin 2 analogues, tachyphylaxis; ileum, guinea-pig, 309
antiarrhythmic agents, nicainoprol, sodium channels; papillary muscle, guinea-pig, 456
antiarrhythmic drugs, sodium channels, calcium channels, cibenzoline; closed-chest dog, 338
antidepressants, cholinomimetic activity, muscarinic receptors, minaprine; behaviour, mice, rats, guinea-pig, 411
antimigraine effect, GR 43175, serotonin receptor subtypes, adenylate cyclase; hippocampus, substantia nigra, calf, 135
antimuscarinic drugs, muscarinic receptors, noradrenaline release; iris, rats, guinea-pig, rabbit, 597
antimuscarinics, gastric acid secretion, telenzepine; stomach, mice, 68
antipsychotic compounds, alpha 2-receptor antagonists, behaviour, amperozide, FG 5606; behavioural stimulation, rats, 161
antipsychotic drugs, cholinergic system, dopamine receptors, tiaspirone; brain, rats, 259
apomorphine, dopamine antagonists, EEG activity, dopamine receptors; behaviour, rats, 718
arginine, nitric oxide, vasopressin, cGMP; kidney epithelial cell culture, 475
ATP, alpha-adrenoceptors, suramin, alpha 2-autoinhibition; vas deferens, mice, 760
ATP, purinoceptors, nucleotides; vas deferens, mice, 522

B

baclofen, muscimol, bicuculline, GABA release; substantia nigra, rats, 372
BAY K 8644, epinephrine, chronotropic response; atria, rats, 452
behaviour, amperozide, FG 5606, antipsychotic compounds, alpha 2-receptor antagonists; behavioural stimulation, rats, 161
benextramine, imidazolines, alpha-adrenoceptors, insulin release, clonidine; mouse pancreatic islets, 712
benzamide derivatives, adenylate cyclase, cAMP, 5-HT receptors; mouse embryo colliculi neurons, 403
benzodiazepine agonist, ACTH release, FG 7142, capsaicin; rats, 352
benzodiazepine receptors, vigilance enhancers, nootropics; EEG-analysis, rats, 93
benzothiazinones, calcium channel blockers, HOE 166; skeletal muscle, guinea-pig, 752
beta 2-receptors, dopexamine, noradrenaline, dopamine receptors; aorta, rabbit, 270
beta-adrenoceptors, blood pressure, adrenaline; pithed rats, 144
beta-adrenoceptors, clenbuterol, noradrenaline release; atrium, rats, 274
beta-adrenoceptors, yawning, adrenergic neuron system, dopamine receptor agonists, muscarinic cholinoceptor agonists; behavioural observation, rats, 26
Bezold-Jarisch reflex, substance P, prostaglandins, neurokinin receptors; cardiovascular system, rats, 547
bicuculline, GABA release, baclofen, muscimol; substantia nigra, rats, 372
binding characteristics, muscarinic receptor subtypes; NG 108-15 and PC 12 cell lines, 62
blood flows, systemic haemodynamics, nicorandil; ischaemic myocardium, pig, 733
blood pressure, adrenaline, beta-adrenoceptors; pithed rats, 144

blood pressure, cardiovascular control, nucleus tractus solitarii, GABA release; carotid occlusion, cat, 764
blood pressure, endothelin, cardiovascular system, endothelium; smooth and cardiac muscles, rats, rabbit, 744
blood pressure, sympathetic nerve system, alpha 2-autoreceptors; rabbit, 648
botulinum C2 toxin, smooth muscle contraction, cytochalasin D; ileum, guinea-pig, 345
bradykinin, venoconstriction, cyclosporine A, renin-angiotensine system; saphenous vein, dog, 252

C

cadmium, myotonia, repetitive firing; diaphragma, mice, 191
calcitonin gene-related peptide, inflammation, neurogenic mediator, chemotaxis, substance P; human polymorphonuclear leukocytes, 185
calcitonin gene-related peptide, prostaglandins; cardiac sensory nerves, guinea-pig, 180
calcitonin gene-related peptide, substance P, vascular tone, vasoactive intestinal peptide; cerebral artery, dog, 431
calcium antagonists, calcium movements, inotropy, vasodilation; heart, guinea-pig, rats, 567
calcium antagonists, dipyridamole, adenine nucleotides, ischemia; heart, guinea-pig, 126
calcium antagonists, monensin, inotropy, calcium channels; heart, rats, guinea-pig, 558
calcium channel blockers, HOE 166, benzothiazinones; skeletal muscle, guinea-pig, 752
calcium channels, calcium antagonists, monensin, inotropy; heart, rats, guinea-pig, 558
calcium channels, calcium entry blockers, PN 200-110; cerebral microvessels, rats, 442
calcium channels, cibenzoline, antiarrhythmic drugs, sodium channels; closed-chest dog, 338
calcium channels, dihydropyridines, omega-conotoxin, cAMP, dopamine release; striatal slices, rats, 36
calcium channels, endothelin 1, vasoconstriction; cardiovascular effects, pithed rats, 424
calcium channels, prostaglandin F, contraction phasic-tonic; *taenia coli*, guinea-pig, 437
calcium current, run-down phenomenon, isoprenaline, nystatin; cardiocytes, guinea-pig, 219
calcium entry blockers, PN 200-110, calcium channels; cerebral microvessels, rats, 442
calcium movements, inotropy, vasodilation, calcium antagonists; heart, guinea-pig, rats, 567
cAMP, 5-HT receptors, benzamide derivatives, adenylate cyclase; mouse embryo colliculi neurons, 403
cAMP, adenosine analogues; ventricular myocytes, guinea-pig, 689
cAMP, dopamine release, calcium channels, dihydropyridines, omega-conotoxin; striatal slices, rats, 36
capillary permeability, neurokinins, substance P, plasma extravasation; rats, 170
capsaicin, benzodiazepine agonist, ACTH release, FG 7142; rats, 352
capsaicin, plasma renin activity, captopril, sensory nerves; blood pressure, rats, 740
capsaicin, sensory nerves, ruthenium red; urinary bladder, rats, 541
captopril, sensory nerves, capsaicin, plasma renin activity; blood pressure, rats, 740
cardiac physiology, thyroid hormones, triiodothyronine, action potential; ventricular myocytes, guinea-pig, 705
cardiovascular control, nucleus tractus solitarii, GABA release, blood pressure; carotid occlusion, cat, 764
cardiovascular system, endothelium, blood pressure, endothelin; smooth and cardiac muscles, rats, rabbit, 744
catalase, ischaemia, myocardial acidosis, superoxide dismutase; coronary occlusion, dog, 223
catecholamine release, angiotensin 2, dopamine metabolism; brain microdialysis, rats, 31
catecholamine release, sympathetic neurones; bovine adrenal medullary cells, 610
catecholamine secretion, nicotinic receptors, muscle relaxants, vecuronium; bovine adrenal medullary cells, 605
cGMP, arginine, nitric oxide, vasopressin; kidney epithelial cell culture, 475
chemotactic peptides, superoxide formation, opioids, NADPH oxidase; human neutrophils/HL-60 leukemic cells, 101
chemotaxis, substance P, calcitonin gene-related peptide, inflammation, neurogenic mediator; human polymorphonuclear leukocytes, 185
cholinergic system, dopamine receptors, tiaspirone, antipsychotic drugs; brain, rats, 259
cholinomimetic activity, muscarinic receptors, minaprine, antidepressants; behaviour, mice, rats, guinea-pig, 411
chronotropic response, BAY K 8644, epinephrine; atria, rats, 452
cibenzoline, antiarrhythmic drugs, sodium channels, calcium channels; closed-chest dog, 338
circadian rhythm, 5-HT transporter complex, paroxetine, light-dark differences; platelets, rabbit, 41
clenbuterol, noradrenaline release, beta-adrenoceptors; atrium, rats, 274
clonidine, benextramine, imidazolines, alpha-adrenoceptors, insulin release; mouse pancreatic islets, 712
cocaine, ageing, noradrenaline uptake, neuronal uptake system; atria, rats, 139
contractility, haemorrhage, neuropeptide Y, inotropic effect; cardiomyocytes, rats, 333
contraction phasic-tonic, calcium channels, prostaglandin F; *taenia coli*, guinea-pig, 437
cromakalim, nimodipine, 5-hydroxytryptamine, haemorrhage; arteries, pig, rabbit, 293
cromakalim, potassium channel activator, membrane potential; hippocampus, guinea-pig, 465
cyclosporine A, renin-angiotensine system, bradykinin, venoconstriction; saphenous vein, dog, 252
cytochalasin D, botulinum C2 toxin, smooth muscle contraction; ileum, guinea-pig, 345

D

DA 2-receptors, neuroeffector transmission, dopamine; jejunal arteries, rabbit, 151
3,4-dihydroxyphenylglycol, neuronal uptake, noradrenaline metabolism; noradrenaline infusion, rabbit, 726
dihydropyridines, omega-conotoxin, cAMP, dopamine release, calcium channels; striatal slices, rats, 36
dihydropyridines, sodium channel kinetics; rat cultured heart cells, 210
1,3-dipropyl-8-cyclopentylxanthine, adenosine receptor antagonist, inotropic effect, phosphodiesterase isoenzymes; heart, guinea-pig, 204
dipyridamole, adenine nucleotides, ischemia, calcium antagonists; heart, guinea-pig, 126
DOPA-melanin, drug-melanin interaction; nuclear magnetic resonance, 576
dopamine, DA 2-receptors, neuroeffector transmission; jejunal arteries, rabbit, 151
dopamine antagonists, EEG activity, dopamine receptors, apomorphine; behaviour, rats, 718
dopamine binding sites, molindone, monoamine oxidase, tryptamine binding sites; brain, rats, 366
dopamine D1-receptors, SCH23390, dopaminergic drugs; brain, rabbit, 617
dopamine metabolism, catecholamine release, angiotensin 2; brain microdialysis, rats, 31
dopamine receptor agonist, talipexole, yawning behaviour, prolactin secretion, SND 919; behavioral observation, rats, 21
dopamine receptor agonists, muscarinic cholinoceptor agonists, beta-adrenoceptors, yawning, adrenergic neuron system; behavioural observation, rats, 26
dopamine receptors, apomorphine, dopamine antagonists, EEG activity; behaviour, rats, 718
dopamine receptors, beta 2-receptors, dopexamine, noradrenaline; aorta, rabbit, 270
dopamine receptors, forskolin, 3-isobutyl-1-methylxanthine; splenic artery, rabbit, 533

dopamine receptors, N-n-propylnorapomorphine, in-vivo-binding; striatum, mice, 13
dopamine receptors, quinpirole, pergolide, immobility; behavioral/chemical study, mice, 355
dopamine receptors, raclopride; brain, mice, 6
dopamine receptors, tiaspirone, antipsychotic drugs, cholinergic system; brain, rats, 259
dopamine release, calcium channels, dihydropyridines, omega-conotoxin, cAMP; striatal slices, rats, 36
dopamine uptake, mazindol binding; striatum, mice, 626
dopaminergic drugs, dopamine D1-receptors, SCH23390; brain, rabbit, 617
dopexamine, noradrenaline, dopamine receptors, beta 2-receptors; aorta, rabbit, 270
drug-melanin interaction, DOPA-melanin; nuclear magnetic resonance, 576

E

EEG activity, dopamine receptors, apomorphine, dopamine antagonists; behaviour, rats, 718
electrical activity, minaprine; hippocampus, rats, 1
endothelial cytosol, nitric oxide synthesis, guanylate cyclase; aortic endothelial cells, pig, 767
endothelin, cardiovascular system, endothelium, blood pressure; smooth and cardiac muscles, rats, rabbit, 744
endothelin, noradrenaline, neuropeptide Y, peptide YY, angiotensin 2; kidney, pig, 379
endothelin 1, vasoconstriction, calcium channels; cardiovascular effects, pithed rats, 424
endothelium, blood pressure, endothelin, cardiovascular system; smooth and cardiac muscles, rats, rabbit, 744
endothelium derived relaxing factor, relaxation, hemoglobin, neuroblastoma cell cytosol; aorta, rabbit, 771
endothelium-dependent relaxation, 5-hydroxytryptamine receptor subtypes; pig coronary artery, 300
epinephrine, chronotropic response, BAY K 8644; atria, rats, 452
erratum, 595
erythro-9-(2-hydroxy-3-nonyl)adenosine, respiration, adenosine deaminase inhibitor; glomectomized rats, 230
ethanol, noradrenaline release, acetylcholine release; brain, rats, 516
ethylenediamine, GABAergic transmission, relaxation; duodenum, rats, 419
ethylisopropylamiloride, noradrenaline transport, amiloride; phaeochromocytoma cells, rats, 495
exocytotic release, non-exocytotic release, noradrenaline release, neuropeptide Y; heart, guinea-pig, 509

F

FG 5606, antipsychotic compounds, alpha 2-receptor antagonists, behaviour, amperozide; behavioural stimulation, rats, 161
FG 7142, capsaicin, benzodiazepine agonist, ACTH release; rats, 352
forskolin, 3-isobutyl-1-methylxanthine, dopamine receptors; splenic artery, rabbit, 533

G

GABA, GABA receptor subtypes; rat spinal cord, 666
GABA receptor subtypes, GABA; rat spinal cord, 666
GABA release, baclofen, muscimol, bicuculline; substantia nigra, rats, 372
GABA release, blood pressure, cardiovascular control, nucleus tractus solitarii; carotid occlusion, cat, 764
GABAergic transmission, relaxation, ethylenediamine; duodenum, rats, 419
gastric acid secretion, telenzepine, antimuscarinics; stomach, mice, 68
glucuronidation, 1-naphthol, intestinal absorption, vascular perfusion; small intestine, rats, 239
glucuronidation, intestinal absorption, 1-naphthol; small intestine, rats, 583
G-protein, guanine nucleotide, adenosine receptors; cerebral cortical membranes, guinea-pig, 87
G-protein, neuropeptide Y, noradrenaline release, adenylate cyclase; mouse atria, 658
GR 43175, serotonin receptor subtypes, adenylate cyclase, antimigraine effect; hippocampus, substantia nigra, calf, 135
guanine nucleotide, adenosine receptors, G-protein; cerebral cortical membranes, guinea-pig, 87
guanylate cyclase, endothelial cytosol, nitric oxide synthesis; aortic endothelial cells, pig, 767
guanylate cyclase, superoxide anions, platelet activation, LY 83583; human platelets, 119

H

H 1-receptors, phosphoinositide, inotropic effect, phospholipase C inhibitors; atria, guinea-pig, 196
H2-receptors, superoxide formation, histamine; human neutrophils, 671
H3-receptors, histamine, presynaptic receptors, noradrenaline release; brain cortex, rats, 633
haemorrhage, cromakalim, nimodipine, 5-hydroxytryptamine; arteries, pig, rabbit, 293
haemorrhage, neuropeptide Y, inotropic effect, contractility; cardiomyocytes, rats, 333
hemoglobin, neuroblastoma cell cytosol, endothelium derived relaxing factor, relaxation; aorta, rabbit, 771
hepatic-intestinal-renal transport, 1-naphthol-beta-d-glucuronide; mutant rats, 588
histamine, H2-receptors, superoxide formation; human neutrophils, 671
histamine, presynaptic receptors, noradrenaline release, H3-receptors; brain cortex, rats, 633
HOE 166, benzothiazinones, calcium channel blockers; skeletal muscle, guinea-pig, 752
5-HT receptor antagonist, ICS 205-930; vagus nerve, cat, rabbit, 396
5-HT receptors, benzamide derivatives, adenylate cyclase, cAMP; mouse embryo colliculi neurons, 403
5-HT release, alpha 2-autoreceptors, alpha-2-heteroreceptors, noradrenaline release; hypothalamus, rats, 386
5-HT transporter complex, paroxetine, light-dark differences, circadian rhythm; platelets, rabbit, 41
5-HT-receptor subtypes, serotonin; vertebrate brain autoradiography, 486
5-HT-receptors; biochemical studies, brain, guinea-pig, pigeon, 479
5-hydroxytryptamine, haemorrhage, cromakalim, nimodipine; arteries, pig, rabbit, 293
5-hydroxytryptamine receptor subtypes, endothelium-dependent relaxation; pig coronary artery, 300
5-hydroxytryptamine receptors, adenylate cyclase; substantia nigra, calf, rats, 285

I

ICS 205-930, 5-HT receptor antagonist; vagus nerve, cat, rabbit, 396
imidazoline compounds, alpha-adrenoceptor blockade, insulin release; pancreatic islets, mice, 321
imidazolines, alpha-adrenoceptors, insulin release, clonidine, benextramine; mouse pancreatic islets, 712
immobility, dopamine receptors, quinpirole, pergolide; behavioral/chemical study, mice, 355
inflammation, neurogenic mediator, chemotaxis, substance P, calcitonin gene-related peptide; human polymorphonuclear leukocytes, 185
inotropic effect, contractility, haemorrhage, neuropeptide Y; cardiomyocytes, rats, 333
inotropic effect, phosphodiesterase isoenzymes, 1,3-dipropyl-8-cyclopentylxanthine, adenosine receptor antagonist; heart, guinea-pig, 204
inotropic effect, phospholipase C inhibitors, H 1-receptors, phosphoinositide; atria, guinea-pig, 196
inotropy, calcium channels, calcium antagonists, monensin; heart, rats, guinea-pig, 558
inotropy, vasodilation, calcium antagonists, calcium movements; heart, guinea-pig, rats, 567
insulin release, clonidine, benextramine, imidazolines, alpha-adrenoceptors; mouse pancreatic islets, 712

insulin release, imidazoline compounds, alpha-adrenoceptor blockade; pancreatic islets, mice, 321
insulin secretion, K-current, sulfonylureas; pancreatic B-cells, mice, 328
intestinal absorption, 1-naphthol, glucuronidation; small intestine, rats, 583
intestinal absorption, vascular perfusion, glucuronidation, 1-naphthol; small intestine, rats, 239
in-vivo-binding, dopamine receptors, N-n-propylnorapomorphine; striatum, mice, 13
ischaemia, myocardial acidosis, superoxide dismutase, catalase; coronary occlusion, dog, 223
ischemia, calcium antagonists, dipyridamole, adenine nucleotides; heart, guinea-pig, 126
3-isobutyl-1-methylxanthine, dopamine receptors, forskolin; splenic artery, rabbit, 533
isoprenaline, nystatin, calcium current, run-down phenomenon; cardiocytes, guinea-pig, 219

K

kalium channels, adenosine receptor subtypes; guinea-pig atria, 684
K-current, sulfonylureas, insulin secretion; pancreatic B-cells, mice, 328

L

light-dark differences, circadian rhythm, 5-HT transporter complex, paroxetine; platelets, rabbit, 41
lipophilicity, substance P, spasmogenic activity, tachykinin receptors; trachea, guinea-pig, 107
LY 83583, guanylate cyclase, superoxide anions, platelet activation; human platelets, 119

M

mazindol binding, dopamine uptake; striatum, mice, 626
membrane potential, cromakalim, potassium channel activator; hippocampus, guinea-pig, 465
minaprine, antidepressants, cholinomimetic activity, muscarinic receptors; behaviour, mice, rats, guinea-pig, 411
minaprine, electrical activity; hippocampus, rats, 1
molindone, monoamine oxidase, tryptamine binding sites, dopamine binding sites; brain, rats, 366
monensin, inotropy, calcium channels, calcium antagonists; heart, rats, guinea-pig, 558
monoamine oxidase, tryptamine binding sites, dopamine binding sites, molindone; brain, rats, 366
muscarine receptor subtypes; heart, chicken, 279
muscarine receptors, acetylcholine release, muscarinic agonists; urinary bladder, rats, 76
muscarinic agonists, muscarine receptors, acetylcholine release; urinary bladder, rats, 76
muscarinic cholinoceptor agonists, beta-adrenoceptors, yawning, adrenergic neuron system, dopamine receptor agonists; behavioural observation, rats, 26
muscarinic receptor subtypes, binding characteristics; NG 108-15 and PC 12 cell lines, 62
muscarinic receptors, minaprine, antidepressants, cholinomimetic activity; behaviour, mice, rats, guinea-pig, 411
muscarinic receptors, noradrenaline release, antimuscarinic drugs; iris, rats, guinea-pig, rabbit, 597
muscimol, bicuculline, GABA release, baclofen; substantia nigra, rats, 372
muscle relaxants, vecuronium, catecholamine secretion, nicotinic receptors; bovine adrenal medullary cells, 605
myocardial acidosis, superoxide dismutase, catalase, ischaemia; coronary occlusion, dog, 223
myotonia, repetitive firing, cadmium; diaphragma, mice, 191

N

NADPH oxidase, chemotactic peptides, superoxide formation, opioids; human neutrophils/HL-60 leukemic cells, 101
1-naphthol, glucuronidation, intestinal absorption; small intestine, rats, 583
1-naphthol, intestinal absorption, vascular perfusion, glucuronidation; small intestine, rats, 239
1-naphthol-beta-D-glucuronide, hepatic-intestinal-renal transport; mutant rats, 588
neuroblastoma cell cytosol, endothelium derived relaxing factor, relaxation, hemoglobin; aorta, rabbit, 771
neuroeffector transmission, dopamine, DA 2-receptors; jejunal arteries, rabbit, 151
neurogenic mediator, chemotaxis, substance P, calcitonin gene-related peptide, inflammation; human polymorphonuclear leukocytes, 185
neurokinin receptors, Bezold-Jarisch reflex, substance P, prostaglandins; cardiovascular system, rats, 547
neurokinins, substance P, plasma extravasation, capillary permeability; rats, 170
neuromuscular junction, protein kinase C, phorbol ester, acetylcholine receptors; skeletal muscle, rats, 82
neuronal re-uptake, noradrenaline; vas deferens, atria, rats, 502
neuronal uptake, noradrenaline metabolism, 3,4-dihydroxyphenylglycol; noradrenaline infusion, rabbit, 726
neuronal uptake system, cocaine, ageing, noradrenaline uptake; atria, rats, 139
neuropeptide Y, exocytotic release, non-exocytotic release, noradrenaline release; heart, guinea-pig, 509
neuropeptide Y, inotropic effect, G-protein, contractility; cardiomyocytes, rats, 333
neuropeptide Y, noradrenaline release, adenylate cyclase, G-protein; mouse atria, 658
neuropeptide Y, peptide YY, angiotensin 2, endothelin, noradrenaline; kidney, pig, 379
nicainoprol, sodium channels, antiarrhythmic agents; papillary muscle, guinea-pig, 456
nicorandil, blood flows, systemic haemodynamics; ischaemic myocardium, pig, 733
nicotinic receptors, muscle relaxants, vecuronium, catecholamine secretion; bovine adrenal medullary cells, 605
nimodipine, 5-hydroxytryptamine, haemorrhage, cromakalim; arteries, pig, rabbit, 293
nitric oxide, vasopressin, cGMP, arginine; kidney epithelial cell culture, 475
nitric oxide synthesis, guanylate cyclase, endothelial cytosol; aortic endothelial cells, pig, 767
non-exocytotic release, noradrenaline release, neuropeptide Y, exocytotic release; heart, guinea-pig, 509
nootropics, benzodiazepine receptors, vigilance enhancers; EEG-analysis, rats, 93
noradrenaline, dopamine receptors, beta 2-receptors, dopexamine; aorta, rabbit, 270
noradrenaline, neuronal re-uptake; vas deferens, atria, rats, 502
noradrenaline, neuropeptide Y, peptide YY, angiotensin 2, endothelin; kidney, pig, 379
noradrenaline metabolism, 3,4-dihydroxyphenylglycol, neuronal uptake; noradrenaline infusion, rabbit, 726
noradrenaline release, 5-HT release, alpha 2-autoreceptors, alpha-2-heteroreceptors; hypothalamus, rats, 386
noradrenaline release, acetylcholine release, ethanol; brain, rats, 516
noradrenaline release, adenylate cyclase, G-protein, neuropeptide Y; mouse atria, 658
noradrenaline release, antimuscarinic drugs, muscarinic receptors; iris, rats, guinea-pig, rabbit, 597
noradrenaline release, beta-adrenoceptors, clenbuterol; atrium, rats, 274
noradrenaline release, H3-receptors, histamine, presynaptic receptors; brain cortex, rats, 633
noradrenaline release, neuropeptide Y, exocytotic release, non-exocytotic release; heart, guinea-pig, 509
noradrenaline release, prostaglandin E2 receptors, alpha 2 adrenoceptors; brain, rats, 472
noradrenaline release, sodium; heart, rats, 265
noradrenaline transport, amiloride, ethylisopropylamiloride; phaeochromocytoma cells, rats, 495
noradrenaline uptake, neuronal uptake system, cocaine, ageing; atria, rats, 139
nucleotides, ATP, purinoceptors; vas deferens, mice, 522

nucleus tractus solitarii, GABA release, blood pressure, cardiovascular control; carotid occlusion, cat, 764
nystatin, calcium current, run-down phenomenon, isoprenaline; cardiocytes, guinea-pig, 219
N-n-propylnorapomorphine, in-vivo-binding, dopamine receptors; striatum, mice, 13

O

omega-conotoxin, cAMP, dopamine release, calcium channels, dihydropyridines; striatal slices, rats, 36
opioids, NADPH oxidase, chemotactic peptides, superoxide formation; human neutrophils/HL-60 leukemic cells, 101
outward currents, pacemaker current, action potential, sotalol; Purkinje fibres, sheep, 696
oxatomide, allergic mediators, PAF; pulmonary reactions, guinea-pig, 111

P

pacemaker current, action potential, sotalol, outward currents; Purkinje fibres, sheep, 696
PAF, oxatomide, allergic mediators; pulmonary reactions, guinea-pig, 111
parathyroid hormone fragments, vasodilation, tachyphylaxis; kidney, rats, 246
paroxetine, light-dark differences, circadian rhythm, 5-HT transporter complex; platelets, rabbit, 41
peptide YY, angiotensin 2, endothelin, noradrenaline, neuropeptide Y; kidney, pig, 379
pergolide, immobility, dopamine receptors, quinpirole; behavioral/chemical study, mice, 355
phentolamine, serotonin release, serotonin autoreceptor, alpha 2-adrenoceptors; brain cortex, rabbit, rats, 52
phorbol ester, acetylcholine receptors, neuromuscular junction, protein kinase C; skeletal muscle, rats, 82
phosphodiesterase isoenzymes, 1,3-dipropyl-8-cyclopentylxanthine, adenosine receptor antagonist, inotropic effect; heart, guinea-pig, 204
phosphoinositide, inotropic effect, phospholipase C inhibitors, H 1-receptors; atria, guinea-pig, 196
phospholipase C inhibitors, H 1-receptors, phosphoinositide, inotropic effect; atria, guinea-pig, 196
plasma extravasation, capillary permeability, neurokinins, substance P; rats, 170
plasma renin activity, captopril, sensory nerves, capsaicin; blood pressure, rats, 740
platelet activation, LY 83583, guanylate cyclase, superoxide anions; human platelets, 119
PN 200-110, calcium channels, calcium entry blockers; cerebral microvessels, rats, 442
potassium channel activator, membrane potential, cromakalim; hippocampus, guinea-pig, 465
presynaptic receptors, noradrenaline release, H3-receptors, histamine; brain cortex, rats, 633
printing error in the summary: 339/496/(1989); erratum, 258
prolactin secretion, SND 919, dopamine receptor agonist, talipexole, yawning behaviour; behavioral observation, rats, 21
prostaglandin E2 receptors, alpha 2 adrenoceptors, noradrenaline release; brain, rats, 472
prostaglandin F, contraction phasic-tonic, calcium channels; *taenia coli*, guinea-pig, 437
prostaglandins, calcitonin gene-related peptide; cardiac sensory nerves, guinea-pig, 180
prostaglandins, neurokinin receptors, Bezold-Jarisch reflex, substance P; cardiovascular system, rats, 547
prostanoid antagonists, thromboxane receptors, prostanoids; pial arteries, cat, rats, 314
prostanoids, prostanoid antagonists, thromboxane receptors; pial arteries, cat, rats, 314
protein kinase C, phorbol ester, acetylcholine receptors, neuromuscular junction; skeletal muscle, rats, 82
protein kinase C, T-cell antigen receptor, adenosine; Jurkat cells, 715
purinoceptors, nucleotides, ATP; vas deferens, mice, 522

Q

quinpirole, pergolide, immobility, dopamine receptors; behavioral/chemical study, mice, 355

R

raclopride, dopamine receptors; brain, mice, 6
relaxation, ethylenediamine, GABAergic transmission; duodenum, rats, 419
relaxation, hemoglobin, neuroblastoma cell cytosol, endothelium derived relaxing factor; aorta, rabbit, 771
renin-angiotensine system, bradykinin, venoconstriction, cyclosporine A; saphenous vein, dog, 252
repetitive firing, cadmium, myotonia; diaphragma, mice, 191
respiration, adenosine deaminase inhibitor, erythro-9-(2-hydroxy-3-nonyl)adenosine; glomectomized rats, 230
run-down phenomenon, isoprenaline, nystatin, calcium current; cardiocytes, guinea-pig, 219
ruthenium red, capsaicin, sensory nerves; urinary bladder, rats, 541

S

SCH23390, dopaminergic drugs, dopamine D1-receptors; brain, rabbit, 617
sensory nerves, capsaicin, plasma renin activity, captopril; blood pressure, rats, 740
sensory nerves, ruthenium red, capsaicin; urinary bladder, rats, 541
serotonin, 5-HT-receptor subtypes; vertebrate brain autoradiography, 486
serotonin autoreceptor, alpha 2-adrenoceptors, phentolamine, serotonin release; brain cortex, rabbit, rats, 52
serotonin autoreceptor, serotonin receptor subtypes; pig brain cortex, 45
serotonin receptor subtypes, adenylate cyclase, antimigraine effect, GR 43175; hippocampus, substantia nigra, calf, 135
serotonin receptor subtypes, serotonin autoreceptor; pig brain cortex, 45
serotonin release, serotonin autoreceptor, alpha 2-adrenoceptors, phentolamine; brain cortex, rabbit, rats, 52
serotonin uptake, aging; human platelets, 593
smooth muscle contraction, cytochalasin D, botulinum C2 toxin; ileum, guinea-pig, 345
SND 919, dopamine receptor agonist, talipexole, yawning behaviour, prolactin secretion; behavioral observation, rats, 21
sodium, noradrenaline release; heart, rats, 265
sodium channel kinetics, dihydropyridines; rat cultured heart cells, 210
sodium channels, antiarrhythmic agents, nicainoprol; papillary muscle, guinea-pig, 456
sodium channels, calcium channels, cibenzoline, antiarrhythmic drugs; closed-chest dog, 338
sotalol, outward currents, pacemaker current, action potential; Purkinje fibres, sheep, 696
spasmogenic activity, tachykinin receptors, lipophilicity, substance P; trachea, guinea-pig, 107
substance P, calcitonin gene-related peptide, inflammation, neurogenic mediator, chemotaxis; human polymorphonuclear leukocytes, 185
substance P, plasma extravasation, capillary permeability, neurokinins; rats, 170
substance P, prostaglandins, neurokinin receptors, Bezold-Jarisch reflex; cardiovascular system, rats, 547
substance P, spasmogenic activity, tachykinin receptors, lipophilicity; trachea, guinea-pig, 107
substance P, vascular tone, vasoactive intestinal peptide, calcitonin gene-related peptide; cerebral artery, dog, 431
sulfonylureas, insulin secretion, K-current; pancreatic B-cells, mice, 328
superoxide anions, platelet activation, LY 83583, guanylate cyclase; human platelets, 119
superoxide dismutase, catalase, ischaemia, myocardial acidosis; coronary occlusion, dog, 223
superoxide formation, histamine, H2-receptors; human neutrophils, 671

superoxide formation, opioids, NADPH oxidase, chemotactic peptides; human neutrophils/HL-60 leukemic cells, 101
suramin, alpha 2-autoinhibition, ATP, alpha-adrenoceptors; vas deferens, mice, 760
sympathetic neurones, catecholamine release; bovine adrenal medullary cells, 610
systemic haemodynamics, nicorandil, blood flows; ischaemic myocardium, pig, 733

T

tachykinin receptors, lipophilicity, substance P, spasmogenic activity; trachea, guinea-pig, 107
tachyphylaxis, angiotensin 2 analogues; ileum, guinea-pig, 309
tachyphylaxis, parathyroid hormone fragments, vasodilation; kidney, rats, 246
talipexole, yawning behaviour, prolactin secretion, SND 919, dopamine receptor agonist; behavioral observation, rats, 21
T-cell antigen receptor, adenosine, protein kinase C; Jurkat cells, 715
telenzepine, antimuscarinics, gastric acid secretion; stomach, mice, 68
thromboxane receptors, prostanoids, prostanoid antagonists; pial arteries, cat, rats, 314
thyroid hormones, triiodothyronine, action potential, cardiac physiology; ventricular myocytes, guinea-pig, 705
tiaspirone, antipsychotic drugs, cholinergic system, dopamine receptors; brain, rats, 259
triiodothyronine, action potential, cardiac physiology, thyroid hormones; ventricular myocytes, guinea-pig, 705
tryptamine binding sites, dopamine binding sites, molindone, monoamine oxidase; brain, rats, 366

V

vascular perfusion, glucuronidation, 1-naphthol, intestinal absorption; small intestine, rats, 239
vascular tone, vasoactive intestinal peptide, calcitonin gene-related peptide, substance P; cerebral artery, dog, 431
vasoactive intestinal peptide, calcitonin gene-related peptide, substance P, vascular tone; cerebral artery, dog, 431
vasoconstriction, calcium channels, endothelin 1; cardiovascular effects, pithed rats, 424
vasodilation, calcium antagonists, calcium movements, inotropy; heart, guinea-pig, rats, 567
vasodilation, tachyphylaxis, parathyroid hormone fragments; kidney, rats, 246
vasopressin, cGMP, arginine, nitric oxide; kidney epithelial cell culture, 475
vecuronium, catecholamine secretion, nicotinic receptors, muscle relaxants; bovine adrenal medullary cells, 605
venoconstriction, cyclosporine A, renin-angiotensine system, bradykinin; saphenous vein, dog, 252
vigilance enhancers, nootropics, benzodiazepine receptors; EEG-analysis, rats, 93

Y

yawning, adrenergic neuron system, dopamine receptor agonists, muscarinic cholinoceptor agonists, beta-adrenoceptors; behavioural observation, rats, 26
yawning behaviour, prolactin secretion, SND 919, dopamine receptor agonist, talipexole; behavioral observation, rats, 21